

Messages & Reference Imagery

South/Southeastbound



Guide guidestudio.com

contact

t

pm J. Wilhelm design K. Fromet

project MNCP1814

Montgomery County
Bikeways Pilot Program

phase Programming 60%

1 C3

Swim Club

NOT FOR CONSTRUCTION

These drawings and notes are for the sole purpose of expressing visual design intent and are not intended for actual fabrication purposes. Sign Contractor accepts total responsibility for final material selection, fabrication and installation methods. Electronic files are not construction documents and cannot be relied upon as identical to construction documents because of changes or errors induced by translation, transmission, or alterations while under the control of others. Use of information contained in the electronic files is at the user's sole risk and without liability to Design Professional and its consultants. Refer to provided performance specifications for details on designer expectations of Fabricator and fabrication process. Copyright © Guide Studio, Inc. All rights reserved.

GENERAL NOTES

1. Sign contractor shall be responsible for design and engineering of supports, anchors and miscellaneous

4. Field dimensions shall be taken by the sign contractor prior to preparation of shop drawings and fabrication where possible. It is the responsibility of the sign contractor to site verify all sign locations for accuracy, fit, and potential obstacles. Sign contractor shall notify appropriate person(s) of any issues, discrepancies and potential obstacles per the contract with the Owner or

5. All sign locations need to be located and staked by sign contractor and approved prior to installation.
6. It is the responsibility of the sign contractor to contact verify locations of underground utilities prior to digging.

7. Sign contractor must obtain all permits and field inspection approvals necessary to complete work per

8. Final masonry dimensions must appear on shop drawings for review and approval.

 Sign contractor shall follow any additional guidelines and requirements presented in the Montgomery County Bikeways Wayfinding & Sign System Standards Manual.
 Sign contractor shall follow any additional requirements

steel or metal required for installation.

2. The sign contractor's structural engineer shall be licensed in the State of Maryland and certify all

connections and support details.3. Isolate dissimilar materials as required.

specified communication process.

City and County requirements.

per the contract with the Owner.

sheet



Guide guidestudio.com

contact

pm J. Wilhelm design K. Fromet

project MNCP1814

Montgomery County
Bikeways Pilot Program

phase Programming 60%

2 B3

Tilderwood

NOT FOR CONSTRUCTION

These drawings and notes are for the sole purpose of expressing visual design intent and are not intended for actual fabrication purposes. Sign Contractor accepts total responsibility for final material selection, fabrication and installation methods. Electronic files are not construction documents and cannot be relied upon as identical to construction documents because of changes or errors induced by translation, transmission, or alterations while under the control of others. Use of information contained in the electronic files is at the user's sole risk and without liability to Design Professional and its consultants. Refer to provided performance specifications for details on designer expectations of Fabricator and fabrication process. Copyright © Guide Studio, Inc. All rights reserved.

GENERAL NOTES

1. Sign contractor shall be responsible for design and engineering of supports, anchors and miscellaneous

4. Field dimensions shall be taken by the sign contractor prior to preparation of shop drawings and fabrication where possible. It is the responsibility of the sign contractor to site verify all sign locations for accuracy, fit, and potential obstacles. Sign contractor shall notify appropriate person(s) of any issues, discrepancies and potential obstacles per the contract with the Owner or

5. All sign locations need to be located and staked by sign contractor and approved prior to installation.
6. It is the responsibility of the sign contractor to contact verify locations of underground utilities prior to digging.

7. Sign contractor must obtain all permits and field inspection approvals necessary to complete work per

8. Final masonry dimensions must appear on shop drawings for review and approval.

 Sign contractor shall follow any additional guidelines and requirements presented in the Montgomery County Bikeways Wayfinding & Sign System Standards Manual.
 Sign contractor shall follow any additional requirements

steel or metal required for installation.

2. The sign contractor's structural engineer shall be licensed in the State of Maryland and certify all

connections and support details.3. Isolate dissimilar materials as required.

specified communication process.

City and County requirements.

per the contract with the Owner.

sheet



Guide guidestudio.com

pm J. Wilhelm

design K. Fromet

project MNCP1814

Montgomery County

Bikeways Pilot Program

phase Programming 60%

3 B1

Route intersection along Josiah Henson Pkwy

NOT FOR CONSTRUCTION

These drawings and notes are for the sole purpose of expressing visual design intent and are not intended for actual fabrication purposes. Sign Contractor accepts total responsibility for final material selection, fabrication and installation methods. Electronic files are not construction documents and cannot be relied upon as identical to construction documents because of changes or errors induced by translation, transmission, or alterations while under the control of others. Use of information contained in the electronic files is at the user's sole risk and without liability to Design Professional and its consultants. Refer to provided performance specifications for details on designer expectations of Fabricator and fabrication process. Copyright © Guide Studio, Inc. All rights reserved.

GENERAL NOTES

1. Sign contractor shall be responsible for design and engineering of supports, anchors and miscellaneous

4. Field dimensions shall be taken by the sign contractor prior to preparation of shop drawings and fabrication where possible. It is the responsibility of the sign contractor to site verify all sign locations for accuracy, fit, and potential obstacles. Sign contractor shall notify appropriate person(s) of any issues, discrepancies and potential obstacles per the contract with the Owner or

5. All sign locations need to be located and staked by sign contractor and approved prior to installation.
6. It is the responsibility of the sign contractor to contact verify locations of underground utilities prior to digging.

 Sign contractor must obtain all permits and field inspection approvals necessary to complete work per

8. Final masonry dimensions must appear on shop drawings for review and approval.

 Sign contractor shall follow any additional guidelines and requirements presented in the Montgomery County Bikeways Wayfinding & Sign System Standards Manual.
 Sign contractor shall follow any additional requirements

steel or metal required for installation.

2. The sign contractor's structural engineer shall be licensed in the State of Maryland and certify all

connections and support details.3. Isolate dissimilar materials as required.

specified communication process.

City and County requirements.

per the contract with the Owner.

sheet



date 10.24.23 J. Wilhelm Guide design K. Fromet guidestudio.com

contact

project MNCP1814

Montgomery County

Bikeways Pilot Program

Programming 60% phase

4 B3

Josiah Henson Parkway

NOT FOR CONSTRUCTION

These drawings and notes are for the sole purpose of expressing visual design intent and are not intended for actual fabrication purposes. Sign Contractor accepts total responsibility for final material selection, fabrication and installation methods. Electronic files are not construction documents and cannot be relied upon as identical to construction documents because of changes or errors induced by translation, transmission, or alterations while under the control of others. Use of information contained in the electronic files is at the user's sole risk and without liability to Design Professional and its consultants. Refer to provided performance specifications for details on designer expectations of Fabricator and fabrication process. Copyright © Guide Studio, Inc. All rights reserved.

GENERAL NOTES

1. Sign contractor shall be responsible for design and engineering of supports, anchors and miscellaneous

4. Field dimensions shall be taken by the sign contractor prior to preparation of shop drawings and fabrication where possible. It is the responsibility of the sign contractor to site verify all sign locations for accuracy, fit, and potential obstacles. Sign contractor shall notify appropriate person(s) of any issues, discrepancies and potential obstacles per the contract with the Owner or

5. All sign locations need to be located and staked by sign contractor and approved prior to installation. 6. It is the responsibility of the sign contractor to contact verify locations of underground utilities prior to digging.

7. Sign contractor must obtain all permits and field inspection approvals necessary to complete work per

8. Final masonry dimensions must appear on shop drawings for review and approval.

9. Sign contractor shall follow any additional guidelines and requirements presented in the Montgomery County Bikeways Wayfinding & Sign System Standards Manual. 10. Sign contractor shall follow any additional requirements

steel or metal required for installation. 2. The sign contractor's structural engineer shall be licensed in the State of Maryland and certify all

connections and support details. 3. Isolate dissimilar materials as required.

specified communication process.

City and County requirements.

per the contract with the Owner.

sheet



Guide 10.24.23

contact

J. Wilhelm

design K. Fromet

project MNCP1814

Montgomery County
Bikeways Pilot Program

5 B3

phase

Josiah Henson Parkway

Programming 60%

NOT FOR CONSTRUCTION

These drawings and notes are for the sole purpose of expressing visual design intent and are not intended for actual fabrication purposes. Sign Contractor accepts total responsibility for final material selection, fabrication and installation methods. Electronic files are not construction documents and cannot be relied upon as identical to construction documents because of changes or errors induced by translation, transmission, or alterations while under the control of others. Use of information contained in the electronic files is at the user's sole risk and without liability to Design Professional and its consultants. Refer to provided performance specifications for details on designer expectations of Fabricator and fabrication process. Copyright © Guide Studio, Inc. All rights reserved.

GENERAL NOTES

1. Sign contractor shall be responsible for design and engineering of supports, anchors and miscellaneous

4. Field dimensions shall be taken by the sign contractor prior to preparation of shop drawings and fabrication where possible. It is the responsibility of the sign contractor to site verify all sign locations for accuracy, fit, and potential obstacles. Sign contractor shall notify appropriate person(s) of any issues, discrepancies and potential obstacles per the contract with the Owner or

5. All sign locations need to be located and staked by sign contractor and approved prior to installation.
6. It is the responsibility of the sign contractor to contact verify locations of underground utilities prior to digging.

7. Sign contractor must obtain all permits and field inspection approvals necessary to complete work per

8. Final masonry dimensions must appear on shop drawings for review and approval.

9. Sign contractor shall follow any additional guidelines and requirements presented in the Montgomery County Bikeways Wayfinding & Sign System Standards Manual.

10. Sign contractor shall follow any additional requirements

steel or metal required for installation.

2. The sign contractor's structural engineer shall be licensed in the State of Maryland and certify all

connections and support details.3. Isolate dissimilar materials as required.

specified communication process.

City and County requirements.

per the contract with the Owner.

sheet



date 10.24.23 contact project MNCP1814

pm J. Wilhelm design K. Fromet Bikeways Pilot Program

phase Programming 60%

6 B1

Northwest corner of Josiah Henson Pkwy & East Jefferson

NOT FOR CONSTRUCTION

These drawings and notes are for the sole purpose of expressing visual design intent and are not intended for actual fabrication purposes. Sign Contractor accepts total responsibility for final material selection, fabrication and installation methods. Electronic files are not construction documents and cannot be relied upon as identical to construction documents because of changes or errors induced by translation, transmission, or alterations while under the control of others. Use of information contained in the electronic files is at the user's sole risk and without liability to Design Professional and its consultants. Refer to provided performance specifications for details on designer expectations of Fabricator and fabrication process. Copyright © Guide Studio, Inc. All rights reserved.

GENERAL NOTES

1. Sign contractor shall be responsible for design and engineering of supports, anchors and miscellaneous

4. Field dimensions shall be taken by the sign contractor prior to preparation of shop drawings and fabrication where possible. It is the responsibility of the sign contractor to site verify all sign locations for accuracy, fit, and potential obstacles. Sign contractor shall notify appropriate person(s) of any issues, discrepancies and potential obstacles per the contract with the Owner or

5. All sign locations need to be located and staked by sign contractor and approved prior to installation.

6. It is the responsibility of the sign contractor to contact verify locations of underground utilities prior to digging.

inspection approvals necessary to complete work per

 Sign contractor shall follow any additional guidelines and requirements presented in the Montgomery County Bikeways Wayfinding & Sign System Standards Manual.

10. Sign contractor shall follow any additional requirements

7. Sign contractor must obtain all permits and field

8. Final masonry dimensions must appear on shop

steel or metal required for installation.

2. The sign contractor's structural engineer shall be licensed in the State of Maryland and certify all

connections and support details.3. Isolate dissimilar materials as required.


specified communication process.

City and County requirements.

drawings for review and approval.

per the contract with the Owner.

sheet



date 10.24.23 contact project MNCP1814

pm J. Wilhelm design K. Fromet Bikeways Pilot Program

phase Programming 60%



Southwest corner of Josiah Henson Pkwy & East Jefferson

NOT FOR CONSTRUCTION

These drawings and notes are for the sole purpose of expressing visual design intent and are not intended for actual fabrication purposes. Sign Contractor accepts total responsibility for final material selection, fabrication and installation methods. Electronic files are not construction documents and cannot be relied upon as identical to construction documents because of changes or errors induced by translation, transmission, or alterations while under the control of others. Use of information contained in the electronic files is at the user's sole risk and without liability to Design Professional and its consultants. Refer to provided performance specifications for details on designer expectations of Fabricator and fabrication process. Copyright © Guide Studio, Inc. All rights reserved.

GENERAL NOTES

1. Sign contractor shall be responsible for design and engineering of supports, anchors and miscellaneous

4. Field dimensions shall be taken by the sign contractor prior to preparation of shop drawings and fabrication where possible. It is the responsibility of the sign contractor to site verify all sign locations for accuracy, fit, and potential obstacles. Sign contractor shall notify appropriate person(s) of any issues, discrepancies and potential obstacles per the contract with the Owner or

5. All sign locations need to be located and staked by sign contractor and approved prior to installation.
6. It is the responsibility of the sign contractor to contact verify locations of underground utilities prior to digging.

 Sign contractor must obtain all permits and field inspection approvals necessary to complete work per

8. Final masonry dimensions must appear on shop drawings for review and approval.

 Sign contractor shall follow any additional guidelines and requirements presented in the Montgomery County Bikeways Wayfinding & Sign System Standards Manual.
 Sign contractor shall follow any additional requirements

steel or metal required for installation.

2. The sign contractor's structural engineer shall be licensed in the State of Maryland and certify all

connections and support details.3. Isolate dissimilar materials as required.


specified communication process.

City and County requirements.

per the contract with the Owner.

sheet





date 10.24.23 contact project MNCP1814

pm J. Wilhelm design K. Fromet Bikeways Pilot Program

phase Programming 60%



Southeast corner of Josiah Henson Pkwy & East Jefferson

NOT FOR CONSTRUCTION

These drawings and notes are for the sole purpose of expressing visual design intent and are not intended for actual fabrication purposes. Sign Contractor accepts total responsibility for final material selection, fabrication and installation methods. Electronic files are not construction documents and cannot be relied upon as identical to construction documents because of changes or errors induced by translation, transmission, or alterations while under the control of others. Use of information contained in the electronic files is at the user's sole risk and without liability to Design Professional and its consultants. Refer to provided performance specifications for details on designer expectations of Fabricator and fabrication process. Copyright © Guide Studio, Inc. All rights reserved.

GENERAL NOTES

1. Sign contractor shall be responsible for design and engineering of supports, anchors and miscellaneous

4. Field dimensions shall be taken by the sign contractor prior to preparation of shop drawings and fabrication where possible. It is the responsibility of the sign contractor to site verify all sign locations for accuracy, fit, and potential obstacles. Sign contractor shall notify appropriate person(s) of any issues, discrepancies and potential obstacles per the contract with the Owner or

5. All sign locations need to be located and staked by sign contractor and approved prior to installation.
6. It is the responsibility of the sign contractor to contact verify locations of underground utilities prior to digging.

 Sign contractor must obtain all permits and field inspection approvals necessary to complete work per

8. Final masonry dimensions must appear on shop drawings for review and approval.

 Sign contractor shall follow any additional guidelines and requirements presented in the Montgomery County Bikeways Wayfinding & Sign System Standards Manual.
 Sign contractor shall follow any additional requirements

steel or metal required for installation.

2. The sign contractor's structural engineer shall be licensed in the State of Maryland and certify all

connections and support details.3. Isolate dissimilar materials as required.

specified communication process.

City and County requirements.

per the contract with the Owner.

sheet



date 10.24.23 contact project MNCP1814

pm J. Wilhelm design K. Fromet Bikeways Pilot Program

phase Programming 60%

10 B1

Northeast corner of Towne & Old Georgetown

NOT FOR CONSTRUCTION

These drawings and notes are for the sole purpose of expressing visual design intent and are not intended for actual fabrication purposes. Sign Contractor accepts total responsibility for final material selection, fabrication and installation methods. Electronic files are not construction documents and cannot be relied upon as identical to construction documents because of changes or errors induced by translation, transmission, or alterations while under the control of others. Use of information contained in the electronic files is at the user's sole risk and without liability to Design Professional and its consultants. Refer to provided performance specifications for details on designer expectations of Fabricator and fabrication process. Copyright © Guide Studio, Inc. All rights reserved.

GENERAL NOTES

1. Sign contractor shall be responsible for design and engineering of supports, anchors and miscellaneous

licensed in the State of Maryland and certify all

4. Field dimensions shall be taken by the sign contractor prior to preparation of shop drawings and fabrication where possible. It is the responsibility of the sign contractor to site verify all sign locations for accuracy, fit, and potential obstacles. Sign contractor shall notify appropriate person(s) of any issues, discrepancies and potential obstacles per the contract with the Owner or

5. All sign locations need to be located and staked by sign contractor and approved prior to installation.
6. It is the responsibility of the sign contractor to contact verify locations of underground utilities prior to digging.

7. Sign contractor must obtain all permits and field inspection approvals necessary to complete work per

8. Final masonry dimensions must appear on shop drawings for review and approval.

 Sign contractor shall follow any additional guidelines and requirements presented in the Montgomery County Bikeways Wayfinding & Sign System Standards Manual.
 Sign contractor shall follow any additional requirements

steel or metal required for installation.

2. The sign contractor's structural engineer shall be


connections and support details.3. Isolate dissimilar materials as required.

specified communication process.

City and County requirements.

per the contract with the Owner.

sheet



date 10.24.23 contact project MNCP1814

pm J. Wilhelm design K. Fromet Bikeways Pilot Program

phase Programming 60%

12 B1

Southeast corner of Towne & Old Georgetown

NOT FOR CONSTRUCTION
These drawings and notes are for the sole purpose of expressing visual design intent and are not intended for actual fabrication purposes. Sign Contractor accepts total responsibility for final material selection, fabrication and installation methods. Electronic files are not construction documents and cannot be relied upon as identical to construction documents because of changes or errors induced by translation, transmission, or alterations while under the control of others. Use of information contained in the electronic files is at the user's sole risk and without liability to Design Professional and its consultants. Refer to provided performance specifications for details on designer expectations of Fabricator and fabrication process. Copyright © Guide Studio, Inc. All rights reserved.

GENERAL NOTES

Sign contractor shall be responsible for design and engineering of supports, anchors and miscellaneous

4. Field dimensions shall be taken by the sign contractor prior to preparation of shop drawings and fabrication where possible. It is the responsibility of the sign contractor to site verify all sign locations for accuracy, fit, and potential obstacles. Sign contractor shall notify appropriate person(s) of any issues, discrepancies and potential obstacles per the contract with the Owner or

5. All sign locations need to be located and staked by sign contractor and approved prior to installation.
6. It is the responsibility of the sign contractor to contact verify locations of underground utilities prior to digging.

inspection approvals necessary to complete work per

 Sign contractor shall follow any additional guidelines and requirements presented in the Montgomery County Bikeways Wayfinding & Sign System Standards Manual.

10. Sign contractor shall follow any additional requirements

7. Sign contractor must obtain all permits and field

8. Final masonry dimensions must appear on shop

steel or metal required for installation.

2. The sign contractor's structural engineer shall be licensed in the State of Maryland and certify all

connections and support details.

3. Isolate dissimilar materials as required.

specified communication process.

City and County requirements.

drawings for review and approval.

per the contract with the Owner.

sheet



date 10.24.23 contact project MNCP1814

pm J. Wilhelm design K. Fromet Bikeways Pilot Program

phase Programming 60%

13 B1

Southwest corner of Old Georgetown & Executive

NOT FOR CONSTRUCTION

These drawings and notes are for the sole purpose of expressing visual design intent and are not intended for actual fabrication purposes. Sign Contractor accepts total responsibility for final material selection, fabrication and installation methods. Electronic files are not construction documents and cannot be relied upon as identical to construction documents because of changes or errors induced by translation, transmission, or alterations while under the control of others. Use of information contained in the electronic files is at the user's sole risk and without liability to Design Professional and its consultants. Refer to provided performance specifications for details on designer expectations of Fabricator and fabrication process. Copyright © Guide Studio, Inc. All rights reserved.

GENERAL NOTES

1. Sign contractor shall be responsible for design and engineering of supports, anchors and miscellaneous

4. Field dimensions shall be taken by the sign contractor prior to preparation of shop drawings and fabrication where possible. It is the responsibility of the sign contractor to site verify all sign locations for accuracy, fit, and potential obstacles. Sign contractor shall notify appropriate person(s) of any issues, discrepancies and potential obstacles per the contract with the Owner or

5. All sign locations need to be located and staked by sign contractor and approved prior to installation.
6. It is the responsibility of the sign contractor to contact verify locations of underground utilities prior to digging.

inspection approvals necessary to complete work per

 Sign contractor shall follow any additional guidelines and requirements presented in the Montgomery County Bikeways Wayfinding & Sign System Standards Manual.

10. Sign contractor shall follow any additional requirements

7. Sign contractor must obtain all permits and field

8. Final masonry dimensions must appear on shop

steel or metal required for installation.

2. The sign contractor's structural engineer shall be licensed in the State of Maryland and certify all

connections and support details.3. Isolate dissimilar materials as required.

specified communication process.

City and County requirements.

drawings for review and approval.

per the contract with the Owner.

sheet



date 10.24.23

Guide
guidestudio.com

contact

J. Wilhelm

design K. Fromet

project MNCP1814

Montgomery County
Bikeways Pilot Program

phase Programming 60%

18 B1

Northwest corner of Executive & Marinelli

NOT FOR CONSTRUCTION

These drawings and notes are for the sole purpose of expressing visual design intent and are not intended for actual fabrication purposes. Sign Contractor accepts total responsibility for final material selection, fabrication and installation methods. Electronic files are not construction documents and cannot be relied upon as identical to construction documents because of changes or errors induced by translation, transmission, or alterations while under the control of others. Use of information contained in the electronic files is at the user's sole risk and without liability to Design Professional and its consultants. Refer to provided performance specifications for details on designer expectations of Fabricator and fabrication process. Copyright © Guide Studio, Inc. All rights reserved.

GENERAL NOTES

1. Sign contractor shall be responsible for design and engineering of supports, anchors and miscellaneous

4. Field dimensions shall be taken by the sign contractor prior to preparation of shop drawings and fabrication where possible. It is the responsibility of the sign contractor to site verify all sign locations for accuracy, fit, and potential obstacles. Sign contractor shall notify appropriate person(s) of any issues, discrepancies and potential obstacles per the contract with the Owner or

5. All sign locations need to be located and staked by sign contractor and approved prior to installation.
6. It is the responsibility of the sign contractor to contact verify locations of underground utilities prior to digging.

 Sign contractor must obtain all permits and field inspection approvals necessary to complete work per

8. Final masonry dimensions must appear on shop drawings for review and approval.

 Sign contractor shall follow any additional guidelines and requirements presented in the Montgomery County Bikeways Wayfinding & Sign System Standards Manual.

10. Sign contractor shall follow any additional requirements

steel or metal required for installation.

2. The sign contractor's structural engineer shall be licensed in the State of Maryland and certify all

connections and support details.3. Isolate dissimilar materials as required.

specified communication process.

City and County requirements.

per the contract with the Owner.

sheet



date 10.24.23 Guide guidestudio.com

contact

J. Wilhelm

design K. Fromet

project MNCP1814

Montgomery County Bikeways Pilot Program

Programming 60% phase

21 B3

Northwest corner of Executive & Nicholson

GENERAL NOTES

- 1. Sign contractor shall be responsible for design and engineering of supports, anchors and miscellaneous steel or metal required for installation.
- 2. The sign contractor's structural engineer shall be licensed in the State of Maryland and certify all connections and support details.
- 3. Isolate dissimilar materials as required.
- 4. Field dimensions shall be taken by the sign contractor prior to preparation of shop drawings and fabrication where possible. It is the responsibility of the sign contractor to site verify all sign locations for accuracy, fit, and potential obstacles. Sign contractor shall notify appropriate person(s) of any issues, discrepancies and potential obstacles per the contract with the Owner or specified communication process.
- 5. All sign locations need to be located and staked by sign contractor and approved prior to installation.
- 6. It is the responsibility of the sign contractor to contact verify locations of underground utilities prior to digging.
- 7. Sign contractor must obtain all permits and field inspection approvals necessary to complete work per City and County requirements.
- 8. Final masonry dimensions must appear on shop drawings for review and approval.
- 9. Sign contractor shall follow any additional guidelines and requirements presented in the Montgomery County Bikeways Wayfinding & Sign System Standards Manual.
- 10. Sign contractor shall follow any additional requirements per the contract with the Owner.

These drawings and notes are for the sole purpose of expressing visual design intent and are not intended

for actual fabrication purposes. Sign Contractor accepts total responsibility for final material selection, fabrication and installation methods. Electronic files are not construction documents and cannot be relied upon as identical to construction documents because of changes or errors induced by translation, transmission, or alterations while under the control of others. Use of information contained in the electronic files is at the user's sole risk and without liability to Design Professional and its consultants. Refer to provided performance specifications for details on designer expectations of Fabricator and fabrication process. Copyright © Guide Studio, Inc. All rights reserved.

NOT FOR CONSTRUCTION



Guide guidestudio.com

contact

design K. Fromet

J. Wilhelm

Montgomery County

project MNCP1814

Bikeways Pilot Program

phase Programming 60%

23 B3 24 A1

Southwest corner of Executive & Woodglen

GENERAL NOTES

- Sign contractor shall be responsible for design and engineering of supports, anchors and miscellaneous steel or metal required for installation.
- The sign contractor's structural engineer shall be licensed in the State of Maryland and certify all connections and support details.
- 3. Isolate dissimilar materials as required.
- 4. Field dimensions shall be taken by the sign contractor prior to preparation of shop drawings and fabrication where possible. It is the responsibility of the sign contractor to site verify all sign locations for accuracy, fit, and potential obstacles. Sign contractor shall notify appropriate person(s) of any issues, discrepancies and potential obstacles per the contract with the Owner or specified communication process.
- 5. All sign locations need to be located and staked by sign contractor and approved prior to installation.
- It is the responsibility of the sign contractor to contact verify locations of underground utilities prior to digging.
- Sign contractor must obtain all permits and field inspection approvals necessary to complete work per City and County requirements.
- 8. Final masonry dimensions must appear on shop drawings for review and approval.
- Sign contractor shall follow any additional guidelines and requirements presented in the Montgomery County Bikeways Wayfinding & Sign System Standards Manual.
- 10. Sign contractor shall follow any additional requirements per the contract with the Owner.

These drawings and notes are for the sole purpose of expressing visual design intent and are not intended for actual fabrication purposes. Sign Contractor accepts total responsibility for final material selection, fabrication and installation methods. Electronic files are not construction documents and cannot be relied upon as identical to construction documents because of changes or errors induced by translation, transmission, or alterations while under the control of others. Use of information contained in the electronic files is at the user's sole risk and without liability to Design Professional and its consultants. Refer to provided performance specifications for details on designer expectations of Fabricator and fabrication process. Copyright @ Guide Studio, Inc. All rights reserved.

NOT FOR CONSTRUCTION



date 10.24.23

Guide
guidestudio.com

contact

J. Wilhelm

design K. Fromet

project MNCP1814

Bikeways Pilot Program

Programming 60%



25 B1

phase

Northwest corner of Woodglen & Edson

NOT FOR CONSTRUCTION

These drawings and notes are for the sole purpose of expressing visual design intent and are not intended for actual fabrication purposes. Sign Contractor accepts total responsibility for final material selection, fabrication and installation methods. Electronic files are not construction documents and cannot be relied upon as identical to construction documents because of changes or errors induced by translation, transmission, or alterations while under the control of others. Use of information contained in the electronic files is at the user's sole risk and without liability to Design Professional and its consultants. Refer to provided performance specifications for details on designer expectations of Fabricator and fabrication process. Copyright © Guide Studio, Inc. All rights reserved.

GENERAL NOTES

Sign contractor shall be responsible for design and engineering of supports, anchors and miscellaneous

4. Field dimensions shall be taken by the sign contractor prior to preparation of shop drawings and fabrication where possible. It is the responsibility of the sign contractor to site verify all sign locations for accuracy, fit, and potential obstacles. Sign contractor shall notify appropriate person(s) of any issues, discrepancies and potential obstacles per the contract with the Owner or

5. All sign locations need to be located and staked by sign contractor and approved prior to installation.
6. It is the responsibility of the sign contractor to contact verify locations of underground utilities prior to digging.

7. Sign contractor must obtain all permits and field inspection approvals necessary to complete work per

8. Final masonry dimensions must appear on shop drawings for review and approval.

9. Sign contractor shall follow any additional guidelines and requirements presented in the Montgomery County Bikeways Wayfinding & Sign System Standards Manual.

10. Sign contractor shall follow any additional requirements

steel or metal required for installation.

2. The sign contractor's structural engineer shall be licensed in the State of Maryland and certify all

connections and support details.3. Isolate dissimilar materials as required.

specified communication process.

City and County requirements.

per the contract with the Owner.

sheet



Guide guidestudio.com

contact

itact

pm J. Wilhelm design K. Fromet

project MNCP1814

Montgomery County
Bikeways Pilot Program

phase Programming 60%

26 C1

Southwest side of Edson & Woodglen

NOT FOR CONSTRUCTION

These drawings and notes are for the sole purpose of expressing visual design intent and are not intended for actual fabrication purposes. Sign Contractor accepts total responsibility for final material selection, fabrication and installation methods. Electronic files are not construction documents and cannot be relied upon as identical to construction documents because of changes or errors induced by translation, transmission, or alterations while under the control of others. Use of information contained in the electronic files is at the user's sole risk and without liability to Design Professional and its consultants. Refer to provided performance specifications for details on designer expectations of Fabricator and fabrication process. Copyright © Guide Studio, Inc. All rights reserved.

GENERAL NOTES

1. Sign contractor shall be responsible for design and engineering of supports, anchors and miscellaneous

4. Field dimensions shall be taken by the sign contractor prior to preparation of shop drawings and fabrication where possible. It is the responsibility of the sign contractor to site verify all sign locations for accuracy, fit, and potential obstacles. Sign contractor shall notify appropriate person(s) of any issues, discrepancies and potential obstacles per the contract with the Owner or

5. All sign locations need to be located and staked by sign contractor and approved prior to installation.
6. It is the responsibility of the sign contractor to contact verify locations of underground utilities prior to digging.

 Sign contractor must obtain all permits and field inspection approvals necessary to complete work per

8. Final masonry dimensions must appear on shop drawings for review and approval.

9. Sign contractor shall follow any additional guidelines and requirements presented in the Montgomery County Bikeways Wayfinding & Sign System Standards Manual.

10. Sign contractor shall follow any additional requirements

steel or metal required for installation.

2. The sign contractor's structural engineer shall be licensed in the State of Maryland and certify all

connections and support details.3. Isolate dissimilar materials as required.

specified communication process.

City and County requirements.

per the contract with the Owner.

sheet