

Messages & Reference Imagery

North/Northwestbound



Sign shown in location for reference only and may not represent actual scale and proportions.

Image is FPO (showing Southbound direction) to give context

date 10.24.23 contact project MNCP1814

pm J. Wilhelm design K. Fromet Bikeways Pilot Program

phase Programming 60%

28 C3

Bethesda Trolley Trail

NOT FOR CONSTRUCTION

These drawings and notes are for the sole purpose of expressing visual design intent and are not intended for actual fabrication purposes. Sign Contractor accepts total responsibility for final material selection, fabrication and installation methods. Electronic files are not construction documents and cannot be relied upon as identical to construction documents because of changes or errors induced by translation, transmission, or alterations while under the control of others. Use of information contained in the electronic files is at the user's sole risk and without liability to Design Professional and its consultants. Refer to provided performance specifications for details on designer expectations of Fabricator and fabrication process. Copyright © Guide Studio, Inc. All rights reserved.

GENERAL NOTES

1. Sign contractor shall be responsible for design and engineering of supports, anchors and miscellaneous

4. Field dimensions shall be taken by the sign contractor prior to preparation of shop drawings and fabrication where possible. It is the responsibility of the sign contractor to site verify all sign locations for accuracy, fit, and potential obstacles. Sign contractor shall notify appropriate person(s) of any issues, discrepancies and potential obstacles per the contract with the Owner or

5. All sign locations need to be located and staked by sign contractor and approved prior to installation.
6. It is the responsibility of the sign contractor to contact verify locations of underground utilities prior to digging.

 Sign contractor must obtain all permits and field inspection approvals necessary to complete work per

8. Final masonry dimensions must appear on shop drawings for review and approval.

 Sign contractor shall follow any additional guidelines and requirements presented in the Montgomery County Bikeways Wayfinding & Sign System Standards Manual.
 Sign contractor shall follow any additional requirements

steel or metal required for installation.

2. The sign contractor's structural engineer shall be licensed in the State of Maryland and certify all

connections and support details.3. Isolate dissimilar materials as required.

specified communication process.

City and County requirements.

per the contract with the Owner.

sheet



Guide guidestudio.com

pm J. Wilhelm

design K. Fromet

project MNCP1814

Montgomery County
Bikeways Pilot Program

phase Programming 60%

27 B3

Bethesda Trolley Trail

contractor to site verify all sign locations for accuracy, fit, and potential obstacles. Sign contractor shall notify

GENERAL NOTES

licensed in the State of Maryland and certify all connections and support details.

3. Isolate dissimilar materials as required.

4. Field dimensions shall be taken by the sign contractor prior to preparation of shop drawings and fabrication where possible. It is the responsibility of the sign

1. Sign contractor shall be responsible for design and engineering of supports, anchors and miscellaneous

steel or metal required for installation.

2. The sign contractor's structural engineer shall be

5. All sign locations need to be located and staked by sign contractor and approved prior to installation.

specified communication process.

appropriate person(s) of any issues, discrepancies and potential obstacles per the contract with the Owner or

- It is the responsibility of the sign contractor to contact verify locations of underground utilities prior to digging.
- Sign contractor must obtain all permits and field inspection approvals necessary to complete work per City and County requirements.
- 8. Final masonry dimensions must appear on shop drawings for review and approval.
- Sign contractor shall follow any additional guidelines and requirements presented in the Montgomery County Bikeways Wayfinding & Sign System Standards Manual.
- 10. Sign contractor shall follow any additional requirements per the contract with the Owner.

NOT FOR CONSTRUCTION



date 10.24.23 Guide guidestudio.com

contact

J. Wilhelm

design K. Fromet

project MNCP1814

Bikeways Pilot Program

phase

Programming 60%

Montgomery County

26 C1

Southwest side of Edson & Woodglen

NOT FOR CONSTRUCTION
These drawings and notes are for the sole purpose of expressing visual design intent and are not intended for actual fabrication purposes. Sign Contractor accepts total responsibility for final material selection, fabrication and installation methods. Electronic files are not construction documents and cannot be relied upon as identical to construction documents because of changes or errors induced by translation, transmission, or alterations while under the control of others. Use of information contained in the electronic files is at the user's sole risk and without liability to Design Professional and its consultants. Refer to provided performance specifications for details on designer expectations of Fabricator and fabrication process. Copyright © Guide Studio, Inc. All rights reserved.

GENERAL NOTES

1. Sign contractor shall be responsible for design and engineering of supports, anchors and miscellaneous

4. Field dimensions shall be taken by the sign contractor prior to preparation of shop drawings and fabrication where possible. It is the responsibility of the sign contractor to site verify all sign locations for accuracy, fit, and potential obstacles. Sign contractor shall notify appropriate person(s) of any issues, discrepancies and potential obstacles per the contract with the Owner or

5. All sign locations need to be located and staked by sign contractor and approved prior to installation. 6. It is the responsibility of the sign contractor to contact verify locations of underground utilities prior to digging.

7. Sign contractor must obtain all permits and field inspection approvals necessary to complete work per

8. Final masonry dimensions must appear on shop drawings for review and approval.

9. Sign contractor shall follow any additional guidelines and requirements presented in the Montgomery County Bikeways Wayfinding & Sign System Standards Manual. 10. Sign contractor shall follow any additional requirements

steel or metal required for installation. 2. The sign contractor's structural engineer shall be licensed in the State of Maryland and certify all

connections and support details. 3. Isolate dissimilar materials as required.

specified communication process.

City and County requirements.

per the contract with the Owner.

sheet



date 10.24.23 contact project MNCP1814

pm J. Wilhelm design K. Fromet Bikeways Pilot Program

phase Programming 60%

25 B1

Northwest corner of Edson & Woodglen

NOT FOR CONSTRUCTION

These drawings and notes are for the sole purpose of expressing visual design intent and are not intended for actual fabrication purposes. Sign Contractor accepts total responsibility for final material selection, fabrication and installation methods. Electronic files are not construction documents and cannot be relied upon as identical to construction documents because of changes or errors induced by translation, transmission, or alterations while under the control of others. Use of information contained in the electronic files is at the user's sole risk and without liability to Design Professional and its consultants. Refer to provided performance specifications for details on designer expectations of Fabricator and fabrication process. Copyright © Guide Studio, Inc. All rights reserved.

GENERAL NOTES

1. Sign contractor shall be responsible for design and engineering of supports, anchors and miscellaneous

4. Field dimensions shall be taken by the sign contractor prior to preparation of shop drawings and fabrication where possible. It is the responsibility of the sign contractor to site verify all sign locations for accuracy, fit, and potential obstacles. Sign contractor shall notify appropriate person(s) of any issues, discrepancies and potential obstacles per the contract with the Owner or

5. All sign locations need to be located and staked by sign contractor and approved prior to installation.
6. It is the responsibility of the sign contractor to contact verify locations of underground utilities prior to digging.

 Sign contractor must obtain all permits and field inspection approvals necessary to complete work per

8. Final masonry dimensions must appear on shop

 Sign contractor shall follow any additional guidelines and requirements presented in the Montgomery County Bikeways Wayfinding & Sign System Standards Manual.

10. Sign contractor shall follow any additional requirements

steel or metal required for installation.

2. The sign contractor's structural engineer shall be licensed in the State of Maryland and certify all

connections and support details.3. Isolate dissimilar materials as required.

specified communication process.

City and County requirements.

drawings for review and approval.

per the contract with the Owner.

sheet



date 10.24.23 Guide guidestudio.com

contact

J. Wilhelm design K. Fromet

project MNCP1814

Montgomery County Bikeways Pilot Program

Programming 60% phase

22 B1


Northwest Corner of Executive & Woodglen

GENERAL NOTES

- 1. Sign contractor shall be responsible for design and engineering of supports, anchors and miscellaneous steel or metal required for installation.
- 2. The sign contractor's structural engineer shall be licensed in the State of Maryland and certify all connections and support details.
- 3. Isolate dissimilar materials as required.
- 4. Field dimensions shall be taken by the sign contractor prior to preparation of shop drawings and fabrication where possible. It is the responsibility of the sign contractor to site verify all sign locations for accuracy, fit, and potential obstacles. Sign contractor shall notify appropriate person(s) of any issues, discrepancies and potential obstacles per the contract with the Owner or specified communication process.
- 5. All sign locations need to be located and staked by sign contractor and approved prior to installation.
- 6. It is the responsibility of the sign contractor to contact verify locations of underground utilities prior to digging.
- 7. Sign contractor must obtain all permits and field inspection approvals necessary to complete work per City and County requirements.
- 8. Final masonry dimensions must appear on shop drawings for review and approval.
- 9. Sign contractor shall follow any additional guidelines and requirements presented in the Montgomery County Bikeways Wayfinding & Sign System Standards Manual.
- 10. Sign contractor shall follow any additional requirements per the contract with the Owner.

NOT FOR CONSTRUCTION

These drawings and notes are for the sole purpose of expressing visual design intent and are not intended for actual fabrication purposes. Sign Contractor accepts total responsibility for final material selection, fabrication and installation methods. Electronic files are not construction documents and cannot be relied upon as identical to construction documents because of changes or errors induced by translation, transmission, or alterations while under the control of others. Use of information contained in the electronic files is at the user's sole risk and without liability to Design Professional and its consultants. Refer to provided performance specifications for details on designer expectations of Fabricator and fabrication process. Copyright © Guide Studio, Inc. All rights reserved. sheet



date 10.24.23

Guide
guidestudio.com

contact

pm J. Wilhelm design K. Fromet

project MNCP1814

Montgomery County
Bikeways Pilot Program

20 B3


phase

Southeast side of Executive & Nicholson

Programming 60%

GENERAL NOTES

- Sign contractor shall be responsible for design and engineering of supports, anchors and miscellaneous steel or metal required for installation.
- The sign contractor's structural engineer shall be licensed in the State of Maryland and certify all connections and support details.
- 3. Isolate dissimilar materials as required.
- 4. Field dimensions shall be taken by the sign contractor prior to preparation of shop drawings and fabrication where possible. It is the responsibility of the sign contractor to site verify all sign locations for accuracy, fit, and potential obstacles. Sign contractor shall notify appropriate person(s) of any issues, discrepancies and potential obstacles per the contract with the Owner or specified communication process.
- 5. All sign locations need to be located and staked by sign contractor and approved prior to installation.
- It is the responsibility of the sign contractor to contact verify locations of underground utilities prior to digging.
- Sign contractor must obtain all permits and field inspection approvals necessary to complete work per City and County requirements.
- 8. Final masonry dimensions must appear on shop drawings for review and approval.
- 9. Sign contractor shall follow any additional guidelines and requirements presented in the Montgomery County Bikeways Wayfinding & Sign System Standards Manual.
- 10. Sign contractor shall follow any additional requirements per the contract with the Owner.



date 10.24.23 contact project MNCP1814

pm J. Wilhelm design K. Fromet Bikeways Pilot Program

phase Programming 60%

19 B1

Southeast side of Executive & Marinelli

GENERAL NOTES 1 Sign contractor


- Sign contractor shall be responsible for design and engineering of supports, anchors and miscellaneous steel or metal required for installation.
- The sign contractor's structural engineer shall be licensed in the State of Maryland and certify all connections and support details.
- 3. Isolate dissimilar materials as required.
- 4. Field dimensions shall be taken by the sign contractor prior to preparation of shop drawings and fabrication where possible. It is the responsibility of the sign contractor to site verify all sign locations for accuracy, fit, and potential obstacles. Sign contractor shall notify appropriate person(s) of any issues, discrepancies and potential obstacles per the contract with the Owner or specified communication process.
- 5. All sign locations need to be located and staked by sign contractor and approved prior to installation.
- It is the responsibility of the sign contractor to contact verify locations of underground utilities prior to digging.
- Sign contractor must obtain all permits and field inspection approvals necessary to complete work per City and County requirements.
- 8. Final masonry dimensions must appear on shop drawings for review and approval.
- Sign contractor shall follow any additional guidelines and requirements presented in the Montgomery County Bikeways Wayfinding & Sign System Standards Manual.
- 10. Sign contractor shall follow any additional requirements per the contract with the Owner.

NOT FOR CONSTRUCTION

These drawings and notes are for the sole purpose of expressing visual design intent and are not intended for actual fabrication purposes. Sign Contractor accepts total responsibility for final material selection, fabrication and installation methods. Electronic files are not construction documents and cannot be

relied upon as identical to construction documents because of changes or errors induced by translation, transmission, or alterations while under the control of others. Use of information contained in the electronic files is at the user's sole risk and without liability to Design Professional and its consultants. Refer to provided performance specifications for details on designer expectations of Fabricator and fabrication process. Copyright © Guide Studio, Inc. All rights reserved.

sheet



date 10.24.23

Guide
guidestudio.com

contact

J. Wilhelm

design K. Fromet

project MNCP1814

Montgomery County
Bikeways Pilot Program

phase Programming 60%

17 B3

Southeast side of Executive & Towne


GENERAL NOTES

- Sign contractor shall be responsible for design and engineering of supports, anchors and miscellaneous steel or metal required for installation.
- The sign contractor's structural engineer shall be licensed in the State of Maryland and certify all connections and support details.
- 3. Isolate dissimilar materials as required.
- 4. Field dimensions shall be taken by the sign contractor prior to preparation of shop drawings and fabrication where possible. It is the responsibility of the sign contractor to site verify all sign locations for accuracy, fit, and potential obstacles. Sign contractor shall notify appropriate person(s) of any issues, discrepancies and potential obstacles per the contract with the Owner or specified communication process.
- 5. All sign locations need to be located and staked by sign contractor and approved prior to installation.
- It is the responsibility of the sign contractor to contact verify locations of underground utilities prior to digging.
- Sign contractor must obtain all permits and field inspection approvals necessary to complete work per City and County requirements.
- 8. Final masonry dimensions must appear on shop drawings for review and approval.
- Sign contractor shall follow any additional guidelines and requirements presented in the Montgomery County Bikeways Wayfinding & Sign System Standards Manual.
- 10. Sign contractor shall follow any additional requirements per the contract with the Owner.

These drawings and notes are for the sole purpose of expressing visual design intent and are not intended for actual fabrication purposes. Sign Contractor accepts total responsibility for final material selection, fabrication and installation methods. Electronic files are not construction documents and cannot be relied upon as identical to construction documents because of changes or errors induced by translation, transmission, or alterations while under the control of others. Use of information contained in the electronic files is at the user's sole risk and without liability to Design Professional and its consultants. Refer to provided performance specifications for details on designer expectations of Fabricator and fabrication process. Copyright © Guide Studio, Inc. All rights reserved.

NOT FOR CONSTRUCTION

sheet



date 10.24.23 Guide guidestudio.com

contact

J. Wilhelm

design K. Fromet

project MNCP1814

Montgomery County

Bikeways Pilot Program


Programming 60% phase

16 B3

Southeast side of Executive & Towne

GENERAL NOTES

- 1. Sign contractor shall be responsible for design and engineering of supports, anchors and miscellaneous steel or metal required for installation.
- 2. The sign contractor's structural engineer shall be licensed in the State of Maryland and certify all connections and support details.
- 3. Isolate dissimilar materials as required.
- 4. Field dimensions shall be taken by the sign contractor prior to preparation of shop drawings and fabrication where possible. It is the responsibility of the sign contractor to site verify all sign locations for accuracy, fit, and potential obstacles. Sign contractor shall notify appropriate person(s) of any issues, discrepancies and potential obstacles per the contract with the Owner or specified communication process.
- 5. All sign locations need to be located and staked by sign contractor and approved prior to installation.
- 6. It is the responsibility of the sign contractor to contact verify locations of underground utilities prior to digging.
- 7. Sign contractor must obtain all permits and field inspection approvals necessary to complete work per City and County requirements.
- 8. Final masonry dimensions must appear on shop drawings for review and approval.
- 9. Sign contractor shall follow any additional guidelines and requirements presented in the Montgomery County Bikeways Wayfinding & Sign System Standards Manual.
- 10. Sign contractor shall follow any additional requirements per the contract with the Owner.



date 10.24.23 contact project MNCP1814 phase Programming 60%

Guide guidestudio.com pm J. Wilhelm design K. Fromet Bikeways Pilot Program

Montgomery County Bikeways Pilot Program

Northwest corner of Executive & Old Georgetown

NOT FOR CONSTRUCTION

These drawings and notes are for the sole purpose of expressing visual design intent and are not intended for actual fabrication purposes. Sign Contractor accepts total responsibility for final material selection, fabrication and installation methods. Electronic files are not construction documents and cannot be relied upon as identical to construction documents because of changes or errors induced by translation, transmission, or alterations while under the control of others. Use of information contained in the electronic files is at the user's sole risk and without liability to Design Professional and its consultants. Refer to provided performance specifications for details on designer expectations of Fabricator and fabrication process. Copyright © Guide Studio, Inc. All rights reserved.

GENERAL NOTES

1. Sign contractor shall be responsible for design and engineering of supports, anchors and miscellaneous

4. Field dimensions shall be taken by the sign contractor prior to preparation of shop drawings and fabrication where possible. It is the responsibility of the sign contractor to site verify all sign locations for accuracy, fit, and potential obstacles. Sign contractor shall notify appropriate person(s) of any issues, discrepancies and potential obstacles per the contract with the Owner or

5. All sign locations need to be located and staked by sign contractor and approved prior to installation.
6. It is the responsibility of the sign contractor to contact verify locations of underground utilities prior to digging.

7. Sign contractor must obtain all permits and field inspection approvals necessary to complete work per

8. Final masonry dimensions must appear on shop drawings for review and approval.

 Sign contractor shall follow any additional guidelines and requirements presented in the Montgomery County Bikeways Wayfinding & Sign System Standards Manual.
 Sign contractor shall follow any additional requirements

steel or metal required for installation.

2. The sign contractor's structural engineer shall be licensed in the State of Maryland and certify all

connections and support details.

3. Isolate dissimilar materials as required.

specified communication process.

City and County requirements.

per the contract with the Owner.

sheet



date 10.24.23 contact Guide design K. Fromet guidestudio.com

J. Wilhelm

project MNCP1814

Montgomery County Bikeways Pilot Program

Programming 60%

10 B1 11 A1

Northeast Corner of Towne & Old Georgetown

GENERAL NOTES

- 1. Sign contractor shall be responsible for design and engineering of supports, anchors and miscellaneous steel or metal required for installation.
- 2. The sign contractor's structural engineer shall be licensed in the State of Maryland and certify all connections and support details.
- 3. Isolate dissimilar materials as required.
- 4. Field dimensions shall be taken by the sign contractor prior to preparation of shop drawings and fabrication where possible. It is the responsibility of the sign contractor to site verify all sign locations for accuracy, fit, and potential obstacles. Sign contractor shall notify appropriate person(s) of any issues, discrepancies and potential obstacles per the contract with the Owner or specified communication process.
- 5. All sign locations need to be located and staked by sign contractor and approved prior to installation.
- 6. It is the responsibility of the sign contractor to contact verify locations of underground utilities prior to digging.
- 7. Sign contractor must obtain all permits and field inspection approvals necessary to complete work per City and County requirements.
- 8. Final masonry dimensions must appear on shop drawings for review and approval.
- Sign contractor shall follow any additional guidelines and requirements presented in the Montgomery County Bikeways Wayfinding & Sign System Standards Manual.
- 10. Sign contractor shall follow any additional requirements per the contract with the Owner.



date 10.24.23 contact project MNCP1814 phase

pm J. Wilhelm design K. Fromet Bikeways Pilot Program South

hase Programming 60%

8 B1 9 A1

Southeast corner of Josiah Henson Pkwy & Town

NOT FOR CONSTRUCTION

These drawings and notes are for the sole purpose of expressing visual design intent and are not intended for actual fabrication purposes. Sign Contractor accepts total responsibility for final material selection, fabrication and installation methods. Electronic files are not construction documents and cannot be relied upon as identical to construction documents because of changes or errors induced by translation, transmission, or alterations while under the control of others. Use of information contained in the electronic files is at the user's sole risk and without liability to Design Professional and its consultants. Refer to provided performance specifications for details on designer expectations of Fabricator and fabrication process. Copyright © Guide Studio, Inc. All rights reserved.

GENERAL NOTES

1. Sign contractor shall be responsible for design and engineering of supports, anchors and miscellaneous

4. Field dimensions shall be taken by the sign contractor prior to preparation of shop drawings and fabrication where possible. It is the responsibility of the sign contractor to site verify all sign locations for accuracy, fit, and potential obstacles. Sign contractor shall notify appropriate person(s) of any issues, discrepancies and potential obstacles per the contract with the Owner or

5. All sign locations need to be located and staked by sign contractor and approved prior to installation.
6. It is the responsibility of the sign contractor to contact verify locations of underground utilities prior to digging.

 Sign contractor must obtain all permits and field inspection approvals necessary to complete work per

8. Final masonry dimensions must appear on shop drawings for review and approval.

 Sign contractor shall follow any additional guidelines and requirements presented in the Montgomery County Bikeways Wayfinding & Sign System Standards Manual.
 Sign contractor shall follow any additional requirements

steel or metal required for installation.

2. The sign contractor's structural engineer shall be licensed in the State of Maryland and certify all

connections and support details.3. Isolate dissimilar materials as required.

specified communication process.

City and County requirements.

per the contract with the Owner.

sheet



date 10.24.23 Guide guidestudio.com

contact

J. Wilhelm design K. Fromet

project MNCP1814

Montgomery County

Bikeways Pilot Program

7 B3

phase

Southwest corner of Josiah Henson Pkwy & Towne

Programming 60%

- 1. Sign contractor shall be responsible for design and engineering of supports, anchors and miscellaneous steel or metal required for installation.
- 2. The sign contractor's structural engineer shall be licensed in the State of Maryland and certify all connections and support details.
- 3. Isolate dissimilar materials as required.

GENERAL NOTES

- 4. Field dimensions shall be taken by the sign contractor prior to preparation of shop drawings and fabrication where possible. It is the responsibility of the sign contractor to site verify all sign locations for accuracy, fit, and potential obstacles. Sign contractor shall notify appropriate person(s) of any issues, discrepancies and potential obstacles per the contract with the Owner or specified communication process.
- 5. All sign locations need to be located and staked by sign contractor and approved prior to installation.
- 6. It is the responsibility of the sign contractor to contact verify locations of underground utilities prior to digging.
- 7. Sign contractor must obtain all permits and field inspection approvals necessary to complete work per City and County requirements.
- 8. Final masonry dimensions must appear on shop drawings for review and approval.
- 9. Sign contractor shall follow any additional guidelines and requirements presented in the Montgomery County Bikeways Wayfinding & Sign System Standards Manual.
- 10. Sign contractor shall follow any additional requirements per the contract with the Owner.



date 10.24.23 contact project MNCP1814

pm J. Wilhelm design K. Fromet Bikeways Pilot Program

phase Programming 60%

6 B1

Northwest corner of Josiah Henson Pkwy & Towne

NOT FOR CONSTRUCTION

These drawings and notes are for the sole purpose of expressing visual design intent and are not intended for actual fabrication purposes. Sign Contractor accepts total responsibility for final material selection, fabrication and installation methods. Electronic files are not construction documents and cannot be relied upon as identical to construction documents because of changes or errors induced by translation, transmission, or alterations while under the control of others. Use of information contained in the electronic files is at the user's sole risk and without liability to Design Professional and its consultants. Refer to provided performance specifications for details on designer expectations of Fabricator and fabrication process. Copyright © Guide Studio, Inc. All rights reserved.

GENERAL NOTES

1. Sign contractor shall be responsible for design and engineering of supports, anchors and miscellaneous

4. Field dimensions shall be taken by the sign contractor prior to preparation of shop drawings and fabrication where possible. It is the responsibility of the sign contractor to site verify all sign locations for accuracy, fit, and potential obstacles. Sign contractor shall notify appropriate person(s) of any issues, discrepancies and potential obstacles per the contract with the Owner or

5. All sign locations need to be located and staked by sign contractor and approved prior to installation.
6. It is the responsibility of the sign contractor to contact verify locations of underground utilities prior to digging.

7. Sign contractor must obtain all permits and field inspection approvals necessary to complete work per

8. Final masonry dimensions must appear on shop drawings for review and approval.

 Sign contractor shall follow any additional guidelines and requirements presented in the Montgomery County Bikeways Wayfinding & Sign System Standards Manual.
 Sign contractor shall follow any additional requirements

steel or metal required for installation.

2. The sign contractor's structural engineer shall be licensed in the State of Maryland and certify all


connections and support details.3. Isolate dissimilar materials as required.

specified communication process.

City and County requirements.

per the contract with the Owner.

sheet



date 10.24.23

Guide
guidestudio.com

contact

design K. Fromet

J. Wilhelm

project MNCP1814

Montgomery County
Bikeways Pilot Program

phase Programming 60%

5 B3

Along Josiah Henson Pkwy

GENERAL NOTES

- Sign contractor shall be responsible for design and engineering of supports, anchors and miscellaneous steel or metal required for installation.
- The sign contractor's structural engineer shall be licensed in the State of Maryland and certify all connections and support details.
- 3. Isolate dissimilar materials as required.
- 4. Field dimensions shall be taken by the sign contractor prior to preparation of shop drawings and fabrication where possible. It is the responsibility of the sign contractor to site verify all sign locations for accuracy, fit, and potential obstacles. Sign contractor shall notify appropriate person(s) of any issues, discrepancies and potential obstacles per the contract with the Owner or specified communication process.
- 5. All sign locations need to be located and staked by sign contractor and approved prior to installation.
- It is the responsibility of the sign contractor to contact verify locations of underground utilities prior to digging.
- Sign contractor must obtain all permits and field inspection approvals necessary to complete work per City and County requirements.
- 8. Final masonry dimensions must appear on shop drawings for review and approval.
- Sign contractor shall follow any additional guidelines and requirements presented in the Montgomery County Bikeways Wayfinding & Sign System Standards Manual.
- 10. Sign contractor shall follow any additional requirements per the contract with the Owner.



date 10.24.23

Guide
guidestudio.com

pm J. Wilhelm

design K. Fromet

project MNCP1814

Montgomery County
Bikeways Pilot Program

phase Programming 60%

4 B3

Along Josiah Henson Pkwy

- Sign contractor shall be responsible for design and engineering of supports, anchors and miscellaneous steel or metal required for installation.
- The sign contractor's structural engineer shall be licensed in the State of Maryland and certify all connections and support details.
- 3. Isolate dissimilar materials as required.

GENERAL NOTES

- 4. Field dimensions shall be taken by the sign contractor prior to preparation of shop drawings and fabrication where possible. It is the responsibility of the sign contractor to site verify all sign locations for accuracy, fit, and potential obstacles. Sign contractor shall notify appropriate person(s) of any issues, discrepancies and potential obstacles per the contract with the Owner or specified communication process.
- 5. All sign locations need to be located and staked by sign contractor and approved prior to installation.
- It is the responsibility of the sign contractor to contact verify locations of underground utilities prior to digging.
- Sign contractor must obtain all permits and field inspection approvals necessary to complete work per City and County requirements.
- 8. Final masonry dimensions must appear on shop drawings for review and approval.
- Sign contractor shall follow any additional guidelines and requirements presented in the Montgomery County Bikeways Wayfinding & Sign System Standards Manual.
- 10. Sign contractor shall follow any additional requirements per the contract with the Owner.